

DANCOVER[®] 

Storage tent
3,3x6x2,4m PVC

DANCOVER[®]

.com

Safety Advice

Attention

In some countries approval is needed to set up a tent larger than 75 m².

The owner of the tent has the sole responsibility to make sure that these local rules are followed and that the mounting is correct.

In case of bad weather conditions, it is your responsibility to ensure that people inside are safe and that the tent does not cause damage to others.

Do not use open fire, welding equipment or other ignition sources in the tent. Though the fabric is made of flame retardant material it can still burn.

It is always recommended that you secure your tent properly with safety straps and augers when you put up the structure.

We recommend you to insure the tent, or check if it is covered by home contents insurance, in case of unplanned events, accidents or bad weather.

Tents are meant as temporary shelter and must be evacuated under extreme weather conditions.

This structure is not tested for specific snow and wind loads. That's why we always recommend to remove snow from the top.


Assemble manual

DEAR CUSTOMER


















Assembly with more than one person suggested.






Please use gloves when assembling the metal frame portion of this unit.

The metal components of this product have been treated with a rust preventive coating that may feel oily to the touch. This coating is not dangerous, but may dirty your hands during assembly. We recommend that you wipe metal parts clean with a mixture of warm water and dish detergent prior to assembly. Should your hands become dirty, simply wash with soap and water.



11'Part list

PART NO.	DESCRIPTION		QTY				
			16'	20'	24'	28'	32'
No.1	Back leg		2	2	2	2	2
No.2	Regular Leg		8	10	12	14	16
No.3	End corner arch		4	4	4	4	4
No.4	Center arch		5	6	7	8	9
No.5	Cross bar		5	6	7	8	9
No.6	Diagonal		2	2	2	2	2
No.7	Main corner arch		6	8	10	12	14
No. 8	Connecting Pipe		15	20	25	30	35
No.9	Door rail female		2	2	2	2	2
No.10	Door rail male		2	2	2	2	2
No.11	Connecting Pipe		5	5	5	5	5
No.12	Guiding cables Guide		1	1	1	1	1
No.13	Nail		8	8	8	8	8
No.14	Floor bracket		4	4	4	4	4
No.15	Elastic Kit for Door		12	12	12	12	12
No.16	Door Rail Hook		12	12	12	12	12
No.17	S Hook		12	12	12	12	12

No.18	1-3/4" Bolt		18	20	22	24	28
No.19	2-1/2" Bolt		27	32	37	42	47
No.20	Wing Nut		43	50	57	64	73
No.21	Roof		1	1	1	1	1
No.22	Endwall		2	2	2	2	2

4-3-2013


1. Assembly of middle arches

a) Take one arch (no. 4); assemble with one main corner arch (No.7) on the left side.

b) Take the other corner arch (no.7) on the right side.

c) Take one completed arch; put screw 1-3/4" (No.18) through holes on the right side and attach bar (no.5) over screw and tighten wing nut(No.20)

d) Repeat same procedures on the left side.



2. Repeat step 1 for the remaining middle arches.

3. Assembly of end arches (Wing nuts are always on inside of the shelter)

a) Take one arch (No.4); assemble with one end corner arch (No.3) on the left side.

b) Take the other corner arch(No.3) ,put 1 3/4" screw through holes on the right side


c) Take one completed arch ,put screw 1 3/4" (No.18) through holes on the right side and attach bar (no.5) over screw and tighten wing nut (No. 20) ,Repeat the same procedure on the left side.

d) Take one bar (No.9 – No.10)to an end arch (No.3) with one screw 1-3/4"(No.18) and wing nut(No.20)

e)Slide the hooks (No.16) over bars then put other side over screw 1-3/4" screws and wing nut(No.20).

f)Repeat step 3 with the remaining arch.

g) Place one of the last arches assembled at the front of the shelter, the other at the back.







4. Assembly of legs

a) Assemble legs (No.2) with bottom horizontal bars(No.8)on all sections except for the front section with screw(No.19)and wing nut(No.20).

b) Assemble leg (No.1) with bar (No.11) connecting diagonal bar(No.6)with screw 2-1/2"(No.19) with wing nut(No.20).

c) Insert leg (No.2) into an end arch (No.3) one side at a time .



<p>d) Repeat step c) until the whole shelter is completed.</p> <p>e) Make sure the base is open to 10' 8"™.</p> <p>f) Make sure the distances AD and BC have exactly the same length as per illustration, lengths depends on the model.</p>	
<p>5. Cover installation (Ties are always on the inside)</p> <p>a) Place the roof in front of the shelter as illustrated.</p> <p>b) Unfold as illustrated then lift onto shelter as is.</p> <p>c) Place cover over the completed structure making sure that the TRIANGLE is at the front of the garage.</p> <p>d) Lace rope through grommets and around pipes tightly going completely around the garage. Grommets are placed in the upper corner of each door. Put the remaining cord through these grommets and secure to the ground with nails.</p> <p>e) Tie firmly inside ties to bars.</p>	
<p>6. Door Assembly</p> <p>a) Take one door with shiny side facing outside placing on to hooks (No.17).</p> <p>b) Repeat a) for the remaining doors.</p> <p>c) Take the elastic, put it through one of the grommet holes on the door from the inside out. Take S hook, place it on the elastic and squeeze one end with a pair of pliers so it locks on the elastic. Repeat until all the elastics are done, and then use the open end to hook on the grommet band of the roof.</p>	
<p>7. Anchoring garage.</p> <p>a) Place your garage in the final position you want then close the doors, front and back if supplied before anchoring, anchor with brackets (No.14) and nail (No.13) as per diagram on the first page. Drive anchor into ground.</p> <p>b) Fix flap to your house (if applicable).</p>	

Contact information

Head office:

Dancover A/S
Nordre Strandvej 119 G
3150 Hellebæk
Denmark

For more information
please visit:
www.dancovershop.com

National contact

Denmark:

denmark@dancover.com

UK:

uk@dancover.com

Germany:

germany@dancover.com

France:

france@dancover.com

Sweden:

sverige@dancover.com

Finland:

suomi@dancover.com

Poland:

polska@dancover.com

Luxembourg:

luxembourg@dancover.com

Spain:

espana@dancover.com

Italy:

italia@dancover.com

Switzerland:

schweiz@dancover.com

Austria:

austria@dancover.com

Norway:

norge@dancover.com

Nederland:

nederland@dancover.com

Ireland:

ireland@dancover.com

Belgium:

belgique@dancover.com