

# Milano

## Euro Cone Adaptors for Copper Pipe

### Installation Guide

#### **Contents**

Installation Information **Page - 2**

Installation **Page - 2**

Warranty Information **Page - 3**

Recycling & Disposal **Page - 3**

# Installation Information

## *Please read carefully...*



- ✓ Perform a precise and perpendicular cut of the tube, free from burrs, using a special pipe cutter.
- ✓ Check that there are no traces of burr and waste inside the tube.
- ✓ Mount the elements that make up the fitting in the order and shown in the drawing below.
- ✓ Take the nut and screw it by hand until it is possible and then thoroughly with the appropriate key.
- ✓ It is absolutely forbidden to lubricate the rubber parts with mineral oils or greases: the epdm compound is compatible only with silicone based lubricant.

**Suitable for use with Plastic and multilayer pipes and copper.**

**Max working pressure - 10 Bar / 145 PSI.**

**Max temperature - 95°C**

## Installation



## Warranty Information

---

- *To find the specific guarantee for your product please refer to the website.*
- *The guarantee starts from the date of purchase.*
- *The guarantee covers you against issues caused as a result of manufacturing related issues, it does not apply to issues that are found to be a result of poor installation.*
- *Labour costs for installation of the product are not covered under this warranty.*

## Aftercare

---

Clean any marks with a soft dry cloth, for stubborn stains please clean with mild soapy water and buff out with a soft cloth.

DO NOT use abrasive or acidic cleaners, if you are unsure, please contact us first.

## Recycling & Disposal

---

Please recycle / dispose of this product in accordance with your local council / government guidelines.

## Contact Us

---

MILANO LTD

Unit 1&2

Burnley

BB11 5UB