




**Entrada esquina / Corner entry / Accès d'angle / Entrada em canto / Entrata di angolo**



Cristal templado  
Tempered glass  
Verre trempé  
Vidro temperado  
Vetro temperato



**sanyclean**  
Tratamiento anti-cal  
Anti limescale treatment  
Traitement anti-calcaire  
Tratamento anti calcário  
Trattamento anti calcare



100% reversible  
100% reversible  
Réversible à 100%  
100% reversível  
100% reversibile



Fácil acceso  
Easy access  
Accès facile  
Fácil acesso  
Facile accesso



Cristal coffe  
Coffe glass  
Verre coffe  
Vidro coffe  
Vetro coffe




Perfiles en aluminio cromado brillo  
Shine chromed aluminum profiles  
Profils en aluminium chromé brillant  
Perfiles em alumínio escovado  
Profili in alluminio cromato luminosità




Asas de latón cepillado  
Brushed brass handles  
Poignées en laiton brossés  
Asa de latão escovado  
Asa ottone spazzolato



Rodamientos dobles estancos  
Double sealed bearings  
Doubles roulements scellés  
Rolamentos dobro selados  
Doppi cuscinetti sigillati




Guía y vierteaguas  
Guide and flashings  
Guide et joints  
Guia e escoamento  
Guida e guarnizione a tenuta acqua




Perfil cubretornillos  
Screw cover profiles  
Perofil couvre-vis  
Perfil parafusos da tampa  
Profilo viti del coperchio



**Opcional / Optional / Optionel / Opcional / Opzionale**



**sanysize**  
MPACC003  
Perfiles de extensión 3,5 cm  
Extension profiles 3,5 cm  
Profils d'extension 3,5 cm  
Perfis de extensão 3,5 cm  
Profili di prolunga 3,5 cm



dim.cm	ref.	A	B	C	P kg	P' kg	V cmxcmxcm
100x70	MP33010070	97-99	67-69	41,5	49	54	204x57,5x11
100x80	MP33010080	97-99	77-79	44	52	57	204x57,5x11
120x70	MP33012070	117-119	67-69	50,5	55	60	204x67,5x11
120x80	MP33012080	117-119	77-79	53	58	63	204x67,5x11

**P:** Peso neto / Net weight / Poids net / Peso líquido / Peso netto

**P':** Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione

**V:** Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione



Frontal deslizante / Sliding door / Frontale coulissante / Frontal deslizante / Scorrevole anteriore



Cristal templado  
Tempered glass  
Verre trempé  
Vidro temperado  
Vetro temperato




sanyclean  
Tratamiento anti-cal  
Anti limescale treatment  
Traitement anti-calcaire  
Tratamento anti calcário  
Trattamento anti calcare




Fácil acceso  
Easy access  
Accès facile  
Fácil acesso  
Facile accesso



100% reversible  
100% reversible  
Réversible à 100%  
100% reversível  
100% reversibile



Cristal coffe  
Coffe glass  
Verre coffe  
Vidro coffe  
Vetro coffe




Perfiles en aluminio cromado brillo  
Shine chromed aluminum profiles  
Profils en aluminium chromé brillant  
Perfiles em alumínio escovado  
Profili in alluminio cromato luminosità




Asas de latón cepillado  
Brushed brass handles  
Poignées en laiton brossés  
Asa de latão escovado  
Asa ottone spazzolato




Rodamientos dobles estancos  
Double sealed bearings  
Doubles roulements scellés  
Rolamentos dobro selados  
Doppi cuscinetti sigillati




Guía y vierteaguas  
Guide and flashings  
Guide et joints  
Guia e escoamento  
Guida e guarnizione a tenuta acqua




Perfil cubretornillos  
Screw cover profiles  
Perofil couvre-vis  
Perfil parafusos da tampa  
Profilo viti del coperchio



Opcional / Optional / Optionel / Opcional / Opzionale



sanysize  
MPACC003  
Perfiles de extensión 3,5 cm  
Extension profiles 3,5 cm  
Profils d'extension 3,5 cm  
Perfis de extensão 3,5 cm  
Profili di prolunga 3,5 cm



dim.cm	ref.	A	C	P kg	P' kg	V cmxcmxcm
100	MP330100F	96-100	36	30	34	204x56,5x9
110	MP330110F	106-110	41	33	37	204x61,5x9
120	MP330120F	116-120	46	36	40	204x66,5x9
130	MP330130F	126-130	51	39	43	204x71,5x9
140	MP330140F	136-140	56	42	46	204x76,5x9
150	MP330150F	146-150	56	45	49	204x80,5x9


**P:** Peso neto / Net weight / Poids net / Peso líquido / Peso netto

**P':** Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione

**V:** Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione



Frontal deslizante / Sliding door / Frontale coulissante / Frontal deslizante / Scorrevole anteriore



Cristal templado  
Tempered glass  
Verre trempé  
Vidro temperado  
Vetro temperato



sanyclean  
Tratamiento anti-cal  
Anti limescale treatment  
Traitement anti-calcaire  
Tratamento anti calcário  
Trattamento anti calcare




Fácil acceso  
Easy access  
Accès facile  
Fácil acesso  
Facile accesso



100% reversible  
100% reversible  
Réversible à 100%  
100% reversível  
100% reversibile



Cristal coffe  
Coffe glass  
Verre coffe  
Vidro coffe  
Vetro coffe




Perfiles en aluminio champán cepillado  
Champagne brushed aluminum profiles  
Profils en aluminium champagne brossés  
Perfis de alumínio champãhe escovado  
Profili in alluminio champagne spazzolato



Asas de latón cepillado  
Brushed brass handles  
Poignées en laiton brossés  
Asa de latão escovado  
Asa ottone spazzolato



Rodamientos dobles estancos  
Double sealed bearings  
Doubles roulements scellés  
Rolamentos dobro selados  
Doppi cuscinetti sigillati




Guía y vierteaguas  
Guide and flashings  
Guide et joints  
Guia e escoamento  
Guida e guarnizione a tenuta acqua




Perfil cubretornillos  
Screw cover profiles  
Perofil couvre-vis  
Perfil parafusos da tampa  
Profilo viti del coperchio



Opcional / Optional / Optionel / Opcional / Opzionale



sanysize  
MPACC003  
Perfiles de extensión 3,5 cm  
Extension profiles 3,5 cm  
Profils d'extension 3,5 cm  
Perfis de extensão 3,5 cm  
Profili di prolunga 3,5 cm



dim.cm	ref.	A	C	P kg	P' kg	V cmxcmxcm
160	MP330160F	156-160	57,5	48	53	204x50x11

**P:** Peso neto / Net weight / Poids net / Peso líquido / Peso netto

**P':** Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione

**V:** Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione




**Lateral fijo / Side panel / Paroi laterale fixe / Lateral fixo / Laterale fisso**




Cristal templado  
Tempered glass  
Verre trempé  
Vidro temperado  
Vetro temperato




**sanyclean**  
Tratamiento anti-cal  
Anti limescale treatment  
Traitement anti-calcaire  
Tratamento anti calcário  
Trattamento anti calcare




Cristal coffe  
Coffe glass  
Verre coffe  
Vidro coffe  
Vetro coffe



100% reversible  
100% reversible  
Réversible à 100%  
100% reversível  
100% reversibile




Perfil cubretornillos  
Screw cover profiles  
Perfil couvre-vis  
Perfil parafusos da tampa  
Profilo viti del coperchio




Perfiles en aluminio champán cepillado  
Champagne brushed aluminum profiles  
Profils en aluminium champagne brossés  
Perfis de alumínio champãhe escovado  
Profili in alluminio champagne spazzolato

**Opcional / Optional / Optionel / Opción / Opzionale**



**sanysize**  
MPACC003  
Perfiles de extensión 3,5 cm  
Extension profiles 3,5 cm  
Profils d'extension 3,5 cm  
Perfis de extensão 3,5 cm  
Profili di prolunga 3,5 cm



dim.cm	ref.	A	P kg	P' kg	V cmxcmxcm
70	MP33070L	67-69	20	24	204x74,5x6
80	MP33080L	77-79	23	27	204x84,5x6
90	MP33090L	87-89	26	30	204x94,5x6
100	MP330100L	97-100	29	33	204x104,5x6

**P:** Peso neto / Net weight / Poids net / Peso líquido / Peso netto

**P':** Peso de expedición Expedition Weigh / Poids d'expédition / Peso do expedição / Peso spedizione

**V:** Volumen de expedición / Expedition Volume / Volume d'expédition / Volume do expedição / Volume spedizione