



DIVA NATURA

DIMENSIONES - MEASURES - DIMENSIONS



L (cm)	W (cm)	X (cm)	D (cm) ↓ ↑
90	90	25	2,5
100	70/80/90/100	25	2,5
110	70/80/90/100	25	2,5
120	70/80/90/100	25	2,5
130	70/80/90/100	35	2,5
140	70/80/90/100	35	2,5
150	70/80/90/100	45	2,7
160	70/80/90/100	45	2,7
170	70/80/90/100	45	2,7
180	70/80/90/100	45	2,7
210	70/80/90/100	62	2,7



REJILLA - GRID - GRILLE




TEXTURA - TEXTURE - TEXTURE



STONE - NATURE

COLORES ESTÁNDARS - STANDARD COLOURS - COULEURS STANDARDS



BLANCO




BEIGE



ANTRACITA

VÁLVULA - DRAIN - BONDE

DESAGÜE / DRAIN / BONDE



EVACUACIÓN / DRAINAGE / ÉVACUATION

42 l/min

ESPECIFICACIONES TÉCNICAS - TECHNICAL SPECIFICATIONS - SPÉCIFICITÉS TECHNIQUES



5 YEARS
WARRANTY



CLASE 3
CLASS 3
CLASSE 3



ANTIBACTERIAS
ANTIBACTERIAL
ANTIBACTERIENS



VÁLVULA
DRAIN
BONDE




FÁCIL LIMPIEZA
EASY CLEANING
FACILE NETTOYAGE



REPARABLE
REPAIRABLE
RÉPARABLE

REJILLA DIVA NATURA

DIMENSIONES - MEASURES



CARACTERISTICAS - FEATURES

Rejilla metálica para plato de ducha Diva Natura

Rejilla de acero inoxidable AISI 304.

Medidas: 130 mm x 130 mm


Espesor: 1,5 mm

Mod. AK



mc bath

FICHA TÉCNICA · DATA SHEET · FICHE TECHNIQUE



válvula sin tapa capless
valve soupape
capless

n° registro industrial: 521.816

caudal con 15 mm. de agua: 42 l / min.

temper. de trabajo max 100° C

Norma
CE
EN 1253-1:2014
EN 1253-2:2014

INSTALACIÓN · INSTALLATION · INSTALLATION

Español

Fijar el cuerpo de la válvula por la parte inferior del plato de ducha mediante los tornillos.
ATENCIÓN: No utilizar excesiva fuerza al apretar los tornillos

English

Fix the body of the valve under the shower tray using the screws provided
NOTE: Do not tight too much the screws when installing the trap.

Français

Fixer le corps de soupape au fond du plateau par des vis.
ATTENTION: Ne pas utiliser une force excessive pour serrer les vis

MEDIDAS · MEASURES · MESURES

