























INSTRUCTION MANUAL

vertical sunshade(150CM)

























A  2x	B  2x	C  4x	D  4x	E  1x	F  1x	G  1x	H  2x
I  2x	J  2x	K  1x	L  2x	M  2x	N  2x	O  4x	P  1x

From step 1 to 4, the product can be installed on the ground, and from step 5 to 6, it should be installed vertically to the ceiling by adjusting the height of F,G and rotating the upper part of B .










step1 	step2 	step3 
step4 	step5 	step6  :Clockwise rotation is to raise the product. :Anticlockwise rotation is to reduce the product.

INSTRUCTION MANUAL

vertical sunshade(200/250/300CM)


























A  2x	B  2x	C  4x	D  4x	E  1x	F  1x	G  1x	H  2x
I  2x	J  2x	K  1x	L  1x	M  1x	N  1x	O  1x	P  1x
Q  1x	R  6x	S  1x	T  2x	U  2x	V  2x	W  4x	X  1x

From step 1 to 7, the product can be installed on the ground, and from step 8 to 9, it should be installed vertically to the ceiling by adjusting the height of F,G and rotating the upper part of B .










step1 	step2 	step3 
step4 	step5 	step6 
step7 	step8 	step9 



INSTRUCTION MANUAL

vertical sunshade(350/400CM)

A  2x	B  2x	C  4x	D  4x	E  1x	F  1x	G  1x	H  2x	
I  2x	J  2x	K  1x	L  2x	M  1x	N  1x	O  1x	P  2x	
Q  1x	R  1x	S  12x	T  2x	U  2x	V  2x	W  2x	X  4x	Y  1x

From step 1 to 7, the product can be installed on the ground, and from step 8 to 9, it should be installed vertically to the ceiling by adjusting the height of F,G and rotating the upper part of B .

step1 	step2 	step3 
step4 	step5 	step6 
step7 	step8 	step9 

 :Clockwise rotation is to raise the product.
 :Anticlockwise rotation is to reduce the product.