

Stand



RAL 3020

Stand

Raccordements













Chauffage central



Electrique



Dimensions disponibles




Stand

Données techniques

A ↕ [mm]	B ↔ [mm]	C2 [mm]	75/65/20°C [W]	55/45/20°C [W]	☺ [W]	D [mm]	E [mm]	F [mm]	📦 [dm³]	📖 [kg]
920	300	270	383	207	400	690	915	115	5,29	8,81
920	400	370	434	234	400	690	915	115	5,87	9,88
920	500	470	486	262	500	690	915	115	6,45	10,96
1150	300	270	480	259	500	920	1145	115	6,56	10,86
1150	400	370	547	295	500	920	1145	115	7,28	12,20
1150	500	470	615	331	600	920	1145	115	8,00	13,55
1380	300	270	577	310	600	1150	1375	115	7,82	12,90
1380	400	370	660	355	600	1150	1375	115	8,69	14,52
1380	500	470	743	399	800	1150	1375	115	9,55	16,13
1610	300	270	674	362	800	1380	1605	115	9,08	14,96
1610	400	370	773	415	800	1380	1605	115	10,09	16,83
1610	500	470	872	468	800	1380	1605	115	11,10	18,71

Stand



A – hauteur B – largeur C1-C5 – écartement des raccords D – écartement des consoles en horizontal
E – écartement des consoles en vertical F – distance de l'axe de la console inférieure au bord inférieur du collecteur

Collecteur : **Tube :**

