



www.cecipa-home.com

Add:8th Floor,Building D,Central Avenue,Xixiang Avenue,BaoAn,Shenzhen,China

Email:service@cecipa-home.com

Tel:+49-040-69638976-9



BRAND INTRODUCTION

CECIPA is an international bathroom brand that promotes an advanced bathroom culture, known for its exquisite craftsmanship and unique cutting-edge design.

"Inspired by natural elements and pursuing a design philosophy of "less is more", CECIPA's ten-year track record as a manufacturer of European-style bathroom furniture has taught us how to excel in precision and purity.

At CECIPA, we apply our passion for quality to the refined simplicity of today's global lifestyle, creating impeccably serene bathroom spaces that blend rigour with nature. CECIPA is now present in over 100 countries and territories worldwide.

CECIPA meets the European imagination for stylish bathroom products with modern and minimalist cutting-edge design and new materials, providing customers with a serene and enjoyable space with the perfect combination of product quality and design.



CATALOGUE

Waterfall basin mixer	P4
Waterfall basin mixer	P5
Waterfall basin mixer heightened	P6
White with chrome basin mixer	P7
White with chrome basin mixer	P8
Basin mixer with drainer	P9
Basin mixer with drainer	P10
Pull-out kitchen mixer	P11
Pull-out kitchen mixer	P12
Pull-out kitchen mixer	P13
Pull-out kitchen mixer	P14
Pull-out kitchen mixer	P15
Kitchen taps	P16
Kitchen taps	P17
Kitchen taps	P18
Folding kitchen mixer	P19
Round thermostatic shower mixer	P20
Square thermostatic shower mixer	P21
Square thermostatic shower mixer	P22
5-piece bath mixer set	P23
Round soft-close shower mixer	P24
Square soft-close shower mixer	P25
Round soft-close shower mixer	P26
Corner mounted soft-close shower mixer	P27
Shower mixer with soft-close connection	P28
5045 Single Sink Counter Sink	P29
5043 Single Sink Counter Sink	P30
7843 Double Sink Counter Sink	P31
4045 Single Sink Counter Sink	P32
4045 Single Sink Counter Top Sink	P33
6045 Single sink with counter top control with plate	P34
7850 Single sink with counter top control with plate	P35
8650 Single sink with counter top control with plate	P36




Ares

SPU:S-DM01001



Description:

1. No noise: the waterfall mixer provides a soft and gentle flow of water, comfortable and quiet, avoiding splashing to keep your sink dry.
2. Water saving: the internal design of the flow limiting technology device helps you to save 30% of water
3. Material: The inside of the tap is made of durable brass and the outside is made of thickened (up to 1.5mm thick, compared to 1.0mm on the market) 304 stainless steel welded together. The surface is strictly chrome plated with 10 levels of technology to prevent rusting, ensuring years of use without paint loss and peeling.
4. valve core: aging resistance and wear resistance of high-quality ceramic valve, more than 1 million times the test, no leakage
5. practical: faucet with hot and cold water switch, with obvious hot and cold markings, single lever handle for easy hot and cold water temperature adjustment
6. easy to install: single hole hot and cold tap, so you can easily install without difficulty



Basin faucet			
SPU	S-DM01001		
SKU	DMAK0102BE		
Material	Stainless	Pipe Length	500mm
Color	Black	Water Pressure	0.1-1Mpa
Spout height	85mm	3Bar Flow	12L/min
Spout length	115mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	33-38mm
Cartridge Diamter	25mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMAK0102BE	25×18×8.5cm	1300g	52×38×36cm	16pcs	22kg
DMAK0102CE	25×18×8.5cm	1300g	52×38×36cm	16pcs	22kg




Ares

SPU:S-DM01001



Description:

1. No noise: the waterfall mixer provides a soft and gentle flow of water, comfortable and quiet, avoiding splashing to keep your sink dry.
2. Water saving: the internal design of the flow limiting technology device helps you to save 30% of water
3. Material: The inside of the tap is made of durable brass and the outside is made of thickened (up to 1.5mm thick, compared to 1.0mm on the market) 304 stainless steel welded together. The surface is strictly chrome plated with 10 levels of technology to prevent rusting, ensuring years of use without paint loss and peeling.
4. valve core: aging resistance and wear resistance of high-quality ceramic valve, more than 1 million times the test, no leakage
5. practical: faucet with hot and cold water switch, with obvious hot and cold markings, single lever handle for easy hot and cold water temperature adjustment
6. easy to install: single hole hot and cold tap, so you can easily install without difficulty



Basin faucet

SPU	S-DM01001		
SKU	DMAK0103BE		
Material	Stainless	Pipe Length	500mm
Color	Black	Water Pressure	0.1-1Mpa
Spout height	185mm	3Bar Flow	12L/min
Spout length	115mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	33-38mm
Cartridge Diamter	25mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMAK0103BE	35×18×8.5cm	1600g	56×38×36cm	12pcs	20kg
DMAK0103CE	35×18×8.5cm	1600g	56×38×36cm	12pcs	20kg



Ares

SPU:S-DM02002




Description:

1. faucet made of high quality 304 stainless steel, has a very strong performance, not easy to damage, very simple appearance, surface brushed metal process, clear texture is not easy to scratch, beautiful at the same time in the clean-up is also very convenient.
2. One-handed 360 degree rotation of the water outlet bend, very smooth operation, 360 degrees arbitrary adjustment, more freedom of movement in and around the sink, installation can be adjusted according to the user's left-handed or right-handed use habits of the left and right installation, very flexible and free.
3. Single handle control for hot and cold water, smooth switching thanks to the high performance ceramic valve, the single handle makes operation very easy and convenient. The wear-resistant high performance ceramic spool, which is stronger than conventional seals and lasts longer than 500,000 cycles, ensures easy and precise adjustment of water flow and temperature.
4. Flexible pull-out push-button two-function flushing spray. The two jet types, which can be switched between air-infused bubbling water and shower jets at the touch of a button, can simply be pulled out as required, making it easier to manoeuvre and move freely when washing dishes.
5. For your health, all machined parts meet the requirements of the non-toxic certification, the ultra-high temperature resistant PX food grade water inlet hose which can withstand 200 degrees and is completely free from harmful substances.
6. 500 mm length of flexible braided hot and cold water inlet hose and 3/8" nut with recommended tap mounting holes of 35-38 mm diameter for secure fixing in stainless steel sinks.

Basin faucet

SPU	S-DM02002		
SKU	DMSK0203SE		
Material	Stainless	Pipe Length	500mm
Color	Stainless steel	Water Pressure	0.1-1Mpa
Spout height	270mm	3Bar Flow	9L/min
Spout length	210mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	35-38mm
Cartridge Diamter	35mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMSK0203SE	44×22.5×6.5cm	2260kg	47×45.5×28cm	8pcs	19kg
DMSK0203BE	44×22.5×6.5cm	2260kg	47×45.5×28cm	8pcs	19kg



Ares

SPU:S-DM02002




Description:

1. faucet made of high quality 304 stainless steel, has a very strong performance, not easy to damage, very simple appearance, surface brushed metal process, clear texture is not easy to scratch, beautiful at the same time in the clean-up is also very convenient.
2. One-handed 360 degree rotation of the water outlet bend, very smooth operation, 360 degrees arbitrary adjustment, more freedom of movement in and around the sink, installation can be adjusted according to the user's left-handed or right-handed use habits of the left and right installation, very flexible and free.
3. Single handle control for hot and cold water, smooth switching thanks to the high performance ceramic valve, the single handle makes operation very easy and convenient. The wear-resistant high performance ceramic spool, which is stronger than conventional seals and lasts longer than 500,000 cycles, ensures easy and precise adjustment of water flow and temperature.
4. Flexible pull-out push-button two-function flushing spray. The two jet types, which can be switched between air-infused bubbling water and shower jets at the touch of a button, can simply be pulled out as required, making it easier to manoeuvre and move freely when washing dishes.
5. For your health, all machined parts meet the requirements of the non-toxic certification, the ultra-high temperature resistant PX food grade water inlet hose which can withstand 200 degrees and is completely free from harmful substances.
6. 500 mm length of flexible braided hot and cold water inlet hose and 3/8" nut with recommended tap mounting holes of 35-38 mm diameter for secure fixing in stainless steel sinks.

Basin faucet

SPU	S-DM02002		
SKU	DMSK0207BE		
Material	Stainless	Pipe Length	500mm
Color	Stainless steel	Water Pressure	0.1-1Mpa
Spout height	270mm	3Bar Flow	9L/min
Spout length	210mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	35-38mm
Cartridge Diamter	35mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU : DMSK0207BE Giftbox Size : 44×22.5×6.5cm GW : 2020kg Carton Size : 47×45.5×35cm QTY : 10pcs GW : 20.5kg




Ares

SPU:S-DM02004

Description:

1. faucet made of high quality 304 stainless steel, has a very strong performance, not easy to damage, very simple appearance, surface brushed metal process, clear texture is not easy to scratch, beautiful at the same time in the clean-up is also very convenient.
2. One-handed 360 degree rotating water outlet bend, very smooth operation, 360 degree arbitrary adjustment, more freedom of movement in and around the sink, foldable faucet, easy to solve the problem of window opening when installed in front of the window, installation can be adjusted according to the user's left-handed or right-handed habits of use left and right installation, very flexible and free.
3. Single handle control for hot and cold water, smooth switching thanks to the high performance ceramic valve, the single handle makes operation very simple and convenient. The wear-resistant high-performance ceramic spool, which is stronger than conventional seals and lasts up to 500,000 cycles, ensures easy and precise adjustment of water flow and temperature, which remains unchanged after three years of use, and the use of a seal that is more resistant to ageing, giving the tap a stronger seal and longer service life. The air-injected ABS bubbler has a very soft feel, not only does it not splash or scatter, but it also saves water by up to 40%, making it very comfortable and environmentally friendly, and the powerful jet of water removes dirt more easily and can be cleaned by removing the bubbler with silicone gloves to prevent clogging.
5. For your health, all machined parts are certified non-toxic and the ultra-high temperature resistant PX food-grade water inlet hose can withstand temperatures up to 200°C and is completely free of harmful substances.
6. 500 mm length of flexible braided hot and cold water inlet hose and 3/8" nut with recommended tap mounting holes of 35-38 mm diameter for secure fixing in stainless steel sinks.



Basin faucet

SPU	S-DM02004		
SKU	DMSK0206SE		
Material	Stainless	Pipe Length	500mm
Color	Stainless steel	Water Pressure	0.1-1Mpa
Spout height	265mm	3Bar Flow	9L/min
Spout length	198mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	33-38mm
Cartridge Diamter	35mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMSK0206SE	41.5×25.5×6.5mm	1850g	53×43×41.5mm	12pcs	23.6kg
DMJP0206BE	41.5×25.5×6.5mm	1850g	53×43×41.5mm	12pcs	23.6kg



Ares

SPU:S-DM03001




Description:

1. very convenient in use, just by adjusting or setting the water temperature you can comfortably shower at the set temperature, without having to adjust it as often as an ordinary shower.
2. the thermostatic function makes showering very comfortable, the water temperature is fixed at one temperature and will not be hot or cold.
3. Thermostatic button lock, high safety, no water too hot, prevent children and the elderly from adjusting the temperature and scalding.
4. Energy-saving water, reduce the link of adjusting water temperature, can save 15-30% of water than ordinary shower.
5. Special thermostat, stall spool, ceramic spool 35MM, use 500,000 times without leakage.

Basin faucet

SPU	S-DM03001		
SKU	DMJP0301CE		
Material	Copper	Top spray size	10inch
Color	Chrome	Hand shower size	5inch
shower height	831-1156mm	Hose length	1500mm
Shower off wall	532mm	3Bar Flow	12L/min
Water inlet hole	150mm	Temperature	2-75°C
Cartridge	Thermostatic	Warranty	3 years
Cartridge Function	2	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMJP0301CE	88×43×10mm	4425kg	91×43×42mm	4pcs	19.5kg
DMJP0301BE	88×43×10mm	4300kg	91×43×42mm	4pcs	19.5kg



unit:mm



Ares

SPU:S-DM03001




Description:

1. very convenient in use, just by adjusting or setting the water temperature you can comfortably shower at the set temperature, without having to adjust it as often as an ordinary shower.
2. the thermostatic function makes showering very comfortable, the water temperature is fixed at one temperature and will not be hot or cold.
3. Thermostatic button lock, high safety, no water too hot, prevent children and the elderly from adjusting the temperature and scalding.
4. Energy-saving water, reduce the link of adjusting water temperature, can save 15-30% of water than ordinary shower.
5. Special thermostat, stall spool, ceramic spool 35MM, use 500,000 times without leakage.


Basin faucet

SPU	S-DM03001		
SKU	DMJP03015BE		
Material	Copper	Top spray size	10inch
Color	Chrome	Hand shower size	5inch
shower height	810-1230mm	Hose length	1500mm
Shower off wall	385mm	3Bar Flow	12L/min
Water inlet hole	150mm	Temperature	2-75°C
Cartridge	Thermostatic	Warranty	3 years
Cartridge Function	2	Certification	/

SKU : DMJP0305BE Giftbox Size : 88×43×10mm GW : 5210kg Carton Size : 91×43×42mm QTY : 4pcs GW : 23kg



unit:mm



Ares

SPU:S-DM03003



Description:

1. User-friendly design: height-adjustable and rotatable hand shower holder made of ABS, suitable for everyone, also for children, adults, etc.
2. Adjustable shower rod: the height of the nozzle can be adjusted between 70 cm and 125 cm
3. Sturdy material: the connection hose with a female threaded connection size of 1/2 inch is made of stainless steel for a long service life
4. Easy to clean: easy to maintain and corrosion-resistant components thanks to high quality chrome plating; easy to polish high gloss surfaces
5. Best service: we offer a 5-year warranty. If the packaging arrives damaged or there are functional problems, please contact your online dealer immediately for a free replacement

Basin faucet

SPU	S-DM03003		
SKU	DMQC0301CE/BE		
Material	Copper	Top spray size	10inch
Color	Chrome	Hand shower size	5inch
shower height	850-1100mm	Hose length	1500mm
Shower off wall	424.5mm	3Bar Flow	12L/min
Water inlet hose	1000mm	Temperature	2-75°C
Cartridge	Ceramic	Warranty	3 years
Cartridge Function	2	Certification	/

SKU : **Giftbox Size :** **GW :** **Carton Size :** **QTY :** **GW :**

DMQC0301SE 71.5×38.5×8mm 2800g 73.5×58.5×40.5mm 7pcs 21kg

DMQC0301BE 71.5×38.5×8mm 2800g 73.5×58.5×40.5mm 7pcs 21kg



Ares

SPU:S-DM06001





Description:

1. das Waschbecken ist aus hochwertigem Edelstahl 304, mit sehr starker Leistung, nicht leicht zu beschädigen, sehr einfach und modernes Aussehen, gebürstete Metalloberfläche.
2. die Unterseite des Produkts ist mit umweltfreundlicher Antikondensationsfarbe besprüht, die effektiv verhindern kann, dass der Schrank aufgrund von Kondensation im Frühling und Herbst, wenn der Temperaturunterschied und die Luftfeuchtigkeit hoch sind, beschädigt wird und schimmelt. Wir achten auch auf die Geräuschentwicklung bei der Verwendung des Produkts, daher verwenden wir an der Unterseite des Produkts an vielen Stellen ein umweltfreundliches, geruchloses, schalldämpfendes Pflaster.
3. wir haben uns für eine Spüle nach europäischem Standard entschieden, in Anbetracht der Tatsache, dass es andere Geräte in der Küche geben wird, die einen Abfluss benötigen, wie z.B. Waschmaschinen und Geschirrspüler, ist unsere Spüle mit zwei Anschlüssen für andere Geräte ausgestattet, die Anschlüsse können an Rohre mit einem Durchmesser von 20 und 23 abgeschlossen werden, und können bei Bedarf durch Entfernen des Stopfens installiert werden.
4. damit Sie das Waschbecken bequemer benutzen können, geben wir Ihnen einen Seifenspender.
5. das Produkt ist ein Einzel-Waschbecken, Tisch-Montage-Methode, die Größe ist 50cm (L) * 45cm (B) * 18,5cm (H), Plattenstärke: 3MM, auch zwei Installationslöcher gesetzt, die Größe ist 35mm und 28mm

Basin faucet

SPU	S-DM06001		
SKU	DMJD0601SE		
Material	Stainless	Production process	Handmade
Color	Stainless steel	Extended interfaces	2
Product size	500-450mm	Downpipe hole	110mm
Hole size	475-425mm	Faucet hole	35mm
Sink depth	185mm	Soap dispenser hole	28mm
Silencer material	Rubber	Warranty	3 years
Drainer	Euro style	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMJD0601SE	55.5×49×24mm	6900g	55.5×49×24mm	1pcs	6.9kg
DMJD0601BE	55.5×49×24mm	6900g	55.5×49×24mm	1pcs	6.9kg



Ares

SPU:S-DM02003

Description:

1. faucet made of high quality 304 stainless steel, has a very strong performance, not easy to damage, very simple appearance, surface brushed metal process, clear texture is not easy to scratch, beautiful at the same time in the clean-up is also very convenient.
2. One-handed 360 degree rotation of the water outlet bend, very smooth operation, 360 degrees arbitrary adjustment, more freedom of movement in and around the sink, installation can be adjusted according to the user's left-handed or right-handed use habits of the left and right installation, very flexible and free.
3. Single handle control for hot and cold water, smooth switching thanks to the high performance ceramic valve, the single handle makes operation very easy and convenient. The wear-resistant high-performance ceramic spool, which is stronger than conventional seals and lasts longer than 500,000 cycles, ensures easy and precise adjustment of the water flow and temperature, which remains unchanged after three years of use, and the use of a more resistant seal, which gives the tap a stronger seal and a longer service life, so you don't have to worry about leaks in the long term.
4. The air-injected ABS bubbler has a very soft feel, no splashing and no scattering of water, and saves up to 40% of water, making it very comfortable and environmentally friendly, and the bubbler can be removed and cleaned with silicone gloves to prevent clogging, making maintenance easy.
5. For your health, all machined parts are certified non-toxic and can withstand temperatures of up to 200°C. The PX food grade water inlet hose is completely free of harmful substances.
6. 500 mm length flexible braided hot and cold water inlet hose with 3/8" nut and recommended tap mounting holes of 33-38 mm diameter for secure fixing in stainless steel sinks.



Basin faucet

SPU	S-DM02003		
SKU	DMYE0201SE/BE		
Material	Stainless	Pipe Length	500mm
Color	Stainless steel	Water Pressure	0.1-1Mpa
Spout height	270mm	3Bar Flow	9L/min
Spout length	205mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	33-38mm
Cartridge Diamter	35mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMYE0201SE	43×23.5×5.7mm	1830g	49×45×30.5mm	10pcs	19.8kg
DMYE0201BE	43×23.5×5.7mm	1830g	49×45×30.5mm	10pcs	19.8kg



Ares

SPU:S-DM02003

Description:

1. faucet made of high quality 304 stainless steel, has a very strong performance, not easy to damage, very simple appearance, surface brushed metal process, clear texture is not easy to scratch, beautiful at the same time in the clean-up is also very convenient.
2. One-handed 360 degree rotation of the water outlet bend, very smooth operation, 360 degrees arbitrary adjustment, more freedom of movement in and around the sink, installation can be adjusted according to the user's left-handed or right-handed use habits of the left and right installation, very flexible and free.
3. Single handle control for hot and cold water, smooth switching thanks to the high performance ceramic valve, the single handle makes operation very easy and convenient. The wear-resistant high-performance ceramic spool, which is stronger than conventional seals and lasts longer than 500,000 cycles, ensures easy and precise adjustment of the water flow and temperature, which remains unchanged after three years of use, and the use of a more resistant seal, which gives the tap a stronger seal and a longer service life, so you don't have to worry about leaks in the long term.
4. The air-injected ABS bubbler has a very soft feel, no splashing and no scattering of water, and saves up to 40% of water, making it very comfortable and environmentally friendly, and the bubbler can be removed and cleaned with silicone gloves to prevent clogging, making maintenance easy.
5. For your health, all machined parts are certified non-toxic and can withstand temperatures of up to 200°C. The PX food grade water inlet hose is completely free of harmful substances.
6. 500 mm length flexible braided hot and cold water inlet hose with 3/8" nut and recommended tap mounting holes of 33-38 mm diameter for secure fixing in stainless steel sinks.



Basin faucet

SPU	S-DM02003		
SKU	DMYE0202SE/BE		
Material	Stainless	Pipe Length	500mm
Color	Stainless steel	Water Pressure	0.1-1Mpa
Spout height	270mm	3Bar Flow	9L/min
Spout length	205mm	Temperature	2-75°C
Deck Mount Thickness	35mm max	Installation Hole Diameter	33-38mm
Cartridge Diamter	35mm	Warranty	3 years
Cartridge Lifespan	500,000 times	Certification	/

SKU :	Giftbox Size :	GW :	Carton Size :	QTY :	GW :
DMYE0202SE	43×23.5×5.7mm	1870g	49×45×30.5mm	10pcs	20.2kg
DMYE0202BE	43×23.5×5.7mm	1870g	49×45×30.5mm	10pcs	20.2kg

